

FINNISH METEOROLOGICAL INSTITUTE





European Union European Regional Development Fund

Continuous aerosol size distribution and light absorption measurements in Nanjing, China

A. Leskinen^{1,2}, A. Ruuskanen¹, D. Fang³, K. Kuuspalo⁴, P. Jalava⁴, Q. Wang³, C. Gu³, J. Jokiniemi⁴, M.-R. Hirvonen⁴, K.E.J. Lehtinen^{1,2}, and M. Komppula¹


¹Finnish Meteorological Institute, P.O. Box 1627, FI-70211 Kuopio, Finland (correspondence to Ari.Leskinen@fmi.fi) ²Department of Applied Physics, University of Eastern Finland, P.O. Box 1627, FI-70211 Kuopio, Finland ³School of the Environment, Nanjing University, Nanjing 210023, China ⁴Department of Environmental Science, University of Eastern Finland, P.O. Box 1627, FI-70211 Kuopio, Finland


We started continuous measurements of aerosol size distribution and light absorption at Nanjing University (NJU) Xianlin campus in November 2014. Since then the hourly average particle number and black carbon concentration have been 14 700 cm $^{-3}$ and 3.1 $\mu g/m^3$, respectively. The average BC/PM₁₀ was 0.06, and the absorption Ångström exponent has varied between 0.4 and 1.8, indicating existence of some non-absorbing material, and/or brown carbon, in particles at times.

Our aerosol measurements at NJU Xianlin campus

- on the rooftop of a five-floor building
- aerosol size distribution (10 nm to 10 μ m) with a TSI 3910 Nanoparticle Sizer and a TSI 3330 Optical Particle Sizer
- black and brown carbon concentration with a Magee Scientific AE-42 7-wavelength (370 nm to 950 nm) aethalometer


• weather parameters with a Vaisala WXT520 weather station








The measurement cabin on the rooftop of the School of Environment building at the NJU Xianlin campus.



Total number concentration, volume concentration, PM10 concentration, BC concentration, and Ångström exponent.



The measurement instrument suite including an aethalometer, an optical particle sampler, and a Nanoscan particle sizer.

Total number concentration vs. wind direction.

Ångström exponent vs. wind direction.

Acknowledgements

This work has been supported by the Academy of Finland (project no. 278331) and the Regional Council of Pohjois-Savo with the EU European Regional Development Funds (project no. A32777).